Care Guideline	Minimum Frequency	RESP
DIABET	ES E08,E09,E10,E11,E13	
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT	6 months(if HgbA1c>=7.0 Q3months)	Reception
Pneumonia Vaccine	See Recommendation in Women/Mens Health	Clinical
LABS		
HgA1C	Q3 months	LAB
Fasting Lipid panel	YEARLY (if LDL> 100 follow IVD guidelines)	REC(LAB)
BMP	Q3months	Reception
Micro albumin	Q9 months	Reception
	1. Administer the Hepatitis B Vaccine series to all unvaccinated	
	patients with Diabetes ages 18-59 years old	
	2. For patients 60 years or older, assess their risk for developing	
	Hepatitis B, considering their likelihood to respond to	
	vaccinations, and if they are in a long term care facility (higher	
	risk) 3. If	
Honotitio D. Voccino / Titoro	unable to determine vaccination status: Patient born in 1980 or	PCP
Hepatitis B Vaccine / Titers	earlier, order titers, if born after 1980 consider titers. Statin therapy recommended for Age >40 with Diabetes more	PCP
	than 10 years. Use risk calculator to determine high dose vs	
STATIN MED	moderated dose	PCP
EYE EXAM	YEARLY	Reception
REFERRALS	TEARET	reception
DM Education/Nutrition	Initial Diagnosis, and If HgbA1c>8.0	PCP
	TING GLUCOSE/PRE-DIABETES All R73	
WELLNESS	YEARLY	Reception
LABS	TEARET	Reception
Fasting Glucose, HgbA1c	YEARLY	LAB
	VASCULAR DISEASE I20-25,I70-72	
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT	6 months	Reception
	O HIOTHIS	Reception
LABS- **stop standing orders at age 85	OC	DEC(LAD)
Lipid Panel	Q6months	REC(LAB)
F. of the Oliver	20 - 0 P. 1 - 0 - 1	1.45
Fasting Glucose	with all lipid panels HEART FAILURE I11,I42,I43,I50	LAB
		- · · ·
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT	6 months (if BP >=130/80 q3months)	Rec/Prov
Ejection Fraction Measurement	Documented in Chart	Provider
Diuretic titration per protocol	See protocol	CM/ Nsg
LABS		
Basic Metabolic Panel	Q3 months	LAB
	ATION (includes NOAC patients)	
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT	6 months	Reception
LABS		
Basic Metabolic Panel, CBC	YEARLY	LAB
HYP	ERLIPIDEMIA AII E78	
14771 1 1 1 1 2 2 2 2 2 2 2 2 1 2 1 4 1 1 2 2	VEADLY	Reception
WELLNESS OR FOLLOW UP	YEARLY	
LABS- **stop standing orders at age 85	YEARLY	
	Q6months	Reception

Care Guideline	Minimum Frequency	RESP
HYP	PERTENSION 110-115	
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT	6 months (if BP >= 130/80 Q3 months)	Reception
EKG	At initial diagnosis visit	Provider
LABS		
Basic Metabolic Panel	Q3 months	LAB
Lipid panel**stop standing orders at age 85	YEARLY	LAB
	DEPENDENCE Z72.0,Z87.891	
WELLNESS	YEARLY	Reception
Tobacco use screening	at every visit	Clinical
Cessation counseling (if + screen for use)	at every visit	Provider
Pneumonia Vaccine	See Recommendation in Women/Mens Health	Provider
COPD screening	YEARLY	Clinical
LDCT referral	YEARLY (age 50-80 with 20-pack yr smoking hx)	Provider
ASTH	MA J45.3,J45.4,J45.5	
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT	Q6 months if uncontrolled	Reception
Pneumonia Vaccine	See Recommendation in AFAB/AMAB Health	Provider
O2 SATS	at every visit	Clinical
Asthma Control Test (ACT)	Every Asthma Visit	Clinical
CO	PD J41,J43,J42,J44	
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT	6 months	Reception
Pulmnary Function Test	At diagnosis	Provider
Pneumonia Vaccine	See Recommendation in Woman/Mens Health	Provider
O2 SATS	at every visit	Clinical
Smoking Cessation (if tobacco user)	at every visit	Provider
HYPO	OTHYROIDISM E03.9	
WELLNESS	YEARLY	Reception
TSH	YEARLY	LAB
THERAPEU	TIC DRUG LEVELS Z79.899	
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT	6 months	Reception
Therapeutic Drug Lithium, Digoxin,	6 months (Lithium Q3months)	
Phenobarbital, Valproic, Depakote, anti-seizure		
medications, Theophyllin		LAB
CMP	6 months	LAB
TSH (Lithium only)	6 months	LAB
WELLNESS	CSRP	D ti
WELLNESS	YEARLY	Reception
FOLLOW UP OFFICE VISIT AND LABS	Opiates Q6 months Low dose Q3months high dose	Reception
	Stimulants Q6 months Q6months	Clinical
UDS (Opiates)	Qomonins D 3 (N18.31/N18.32)	Cillical
WELLNESS	YEARLY	Reception
Labs	I LAINE I	TOOOPHOIT
BMP	Q6 months	LAB
	O 4/5 (N18.4/N18.5)	
WELLNESS	YEARLY	Reception
Labs	1 L/ VI VL 1	0000011
BMP, PTH, CBC, 25 Hydrox Vit D Phos	Q3 months	LAB
	75.8) /Nonalcoholic Fatty Liver Disease (NAFLD)(K76.0)	
Labs	old, mendionioner day Error bisedse (in Eb)(Mr0.0)	
Luxo		

СМР	YEARLY	LAB
Care Guideline	Minimum Frequency	RESP
Os	steoporosis (M81.0)	
Labs		
BMP, Vit D	YEARLY	LAB
Нуре	rparathyoidism (E21.3)	
Labs		
BMP, Vit D, PTH	Q6 months	LAB
	GOUT (M10.9)	
Labs		
Uric Acid, BMP	Q6 months	LAB
	(K70.3, K74.4 K74.5 K83.01)	
Labs		LAD
CMP, CBC, Protime	Q6 months	LAB
Care Guideline	Minimum Frequency	RESP
•	irth Reproductive and Preventive Care	
WELLNESS	Annual to age 25, then Every 2 years Ages 26-65; Then annual >64.	Reception
	Screen once in lifetime, or anyone at high risk	
HIV Screening (Z11.3, Z72.51)	Positive Screen Consider Prep	Provider
Syphillis Screening (Z11.3, Z72.51)	Anyone at high risk	Provider
Hepatitis C screening	screen once in lifetime age 18-79, or anyone at high risk	Lab
(Z11.3, Z72.51)	Annually all AFAB age 13-24 (Z20.2)	
	or anyone at high risk with codes:	
	Z72.51 HR Heterosexual Behavior	
	Z72.52 HR Homosexual Behavior	
	Z72.53 HR Bisexual Behavior	
GC/Chlamydia Screening (Z11.3, Z72.51)	Z72.89 Other Problems related to lifestyle	Clinical
<u> </u>	Begin Screening at age 21. Age 21-30 Q3YEARS. Age 30-65	
	PAP and HPV co testing Q5yrs. If high risk follow ASCCP	
Cervical Cancer Screening	guidelines	Clinical
Breast Cancer Screening	Q 2 YEARS age 40 to 75. Annual for high risk AFAB.	Reception
Colorectal Cancer Screening	Age 45-75 Colonoscopy Q10 years or 1 FOBT YEARLY	Provider
Baseline Bone Density Screening F/U Bone Density Screening	Age 65, earlier if risk factors present	Reception
EYE EXAM	Based on recommendation from previous screening EVERY 2 YEARS	Reception Reception
Lipid screening		Provider
Lipiu screening	starting at age 40 with risk assessment (family history, lifestyle,	FIOVICE
	and risk calculator such as AHA 10 yr risk estimate) and at least	
	every 5 yrs Immunize up to age 18;	Clinical
HPV Vaccine	Refer to pharmacy for ages 18-45	Pharmacy
Pneumonia Vaccine	Age >65 and persons at high risk- (at pharmacy)	Pharmacy
Tdap Vaccine	Adacel (appropriate for age 19-64), or Boostrix (appropriate for age >= 10 y.o) One booster after age 19, Td q10 years.	
Shingrix	Start at age 50, series of 2 immunizations	Clinical Pharmacy
FLU SHOT	YEARLY	Clinical
	th Reproductive and Preventive Care	Omnoal
WELLNESS	Annual to age 25, then Every 2 years Ages 26-66; Then annual	Reception
WLLLINESS	>65.	I recebuou
Colorectal Cancer Screening	Age 45-75 Colonoscopy Q10 years or 1 FOBT YEARLY	Provider
AAA Screening	ONCE between Age 65-75 with smoking hx 100 or > cigarettes,	Provider
	or +Family HX	

1111/0	Screen once in lifetime, or anyone at high risk	
HIV Screening (Z11.3, Z72.51)	Positive Screen Consider Prep	Provider
Syphillis Screening (Z11.3, Z72.51)	Anyone at high risk	Provider
Hepatitis C screening	screen once in lifetime age 18-79, or anyone at high risk	Lab
(Z11.3, Z72.51)	anyone at high risk with codes:	
	Z72.51 HR Heterosexual Behavior	
	Z72.52 HR Homosexual Behavior	
	Z72.53 HR Bisexual Behavior	
GC/Chlamydia Screening (Z11.3, Z72.51)	Z72.89 Other Problems related to lifestyle	Provider
GC/Chlamydia Screening Anal/Pharyngeal	,	1 1011401
(Z11.3, Z72.52)	Annual, anyone with high risk activities	Provider
Anal Pap Smear	At first HIV Diagnosis	Provider
Care Guideline	Minimum Frequency	RESP
	(AMAB Care Continued)	
EYE EXAM	EVERY 2 YEARS	Reception
Shingrix	Start at age 50, series of 2 immunizations	Pharmacy
FLU SHOT	YEARLY	Clinical
Lipid screening	starting at age 40 with risk assessment (family history, lifestyle,	Provider
	and risk calculator such as AHA 10 yr risk estimate) and at least	
	every 5 yrs	
HPV Vaccine	Immunize up to age 18;	Clinical
	Refer to pharmacy for ages 18-45	Pharmacy
Pneumonia Vaccine	Age >65 and persons at high risk- (at pharmacy)	Pharmacy
	Adacel (appropriate for age 19-64), or Boostrix (appropriate for	
Tdap Vaccine	age >= 10 y.o) One booster after age 19, Td q10 years.	Clinical
	Children's Health	
WELLNESS and Postpartum screen		
(for Mom)	Age 2weeks	Reception
	Age 4weeks	Reception
	Age 2 months	Reception
	Age 4 months	Reception
WELLNESS	Age 6 months	Reception
WELLNESS	Age 9 months	Reception
WELLNESS	Age 12 months	Reception
WELLNESS and MCHAT	Age 15 months	Reception
WELLNESS	Age 18 months	Reception
WELLNESS and MCHAT	Age 24 months	Reception
WELLNESS	Age 30 Months	Reception
WELLNESS	AGE 3-25 YEARLY	Reception
EYE EXAM	Age 4,5,6,8,10	Clinical
STEREOPSIS SCREENING	AGE 4	Clinical
BEHAVIORAL HEALTH SCREENING	EVERY PHYSICAL VISIT	Clinical
CRAFFT SCREENING	EVERY WELLNESS 13-17 yrs	Clinical
FLU SHOT	YEARLY	Clinical
LIPID and DIABETES SCREENING	Consider screening for high risk children	Provider
anno 4a Alaga middallara and ann Bull I	What standing and a second of the second of the	
<u> </u>	y/Lab standing orders as a result of these guidelines	
will renew Lab/Radiology standing orders fo	or patients who meet these guidelines annually	
in a true		
ignature	Date	
rinted Name of Provider:		